


**DRAFT**

# Appendix 6-B Fauna List



# DRAFT

## Appendix 6-B Fauna List

The following table is a list of the fauna identified during the dawn and dusk surveys.

| Scientific name  | Common Name                | Site A | Site B | Site C | Site D | Site E | Status                         |
|--|----------------------------|--------|--------|--------|--------|--------|--------------------------------|
| <b>Mammals</b>   |                            |        |        |        |        |        |                                |
| <i>Canis familiaris</i>  | feral dog                  |        |        |        |        | X      | Introduced (declared class 2)  |
| <i>Chalinolobus nigrogriseus</i>   | hoary wattled bat          |        |        | X      |        |        | Least concern                  |
| <i>Dama dama</i>   | red fallow deer            |        |        |        |        | X      | Introduced (not declared)      |
| <i>Isoodon macrourus</i>   | northern brown bandicoot   | X      |        | X      |        | X      | Least concern                  |
| <i>Lepus europeus</i>  | European hare              |        |        | X      |        |        | Introduced (not declared)      |
| <i>Melomys burtoni</i>   | grassland melomys          |        |        |        |        | X      | Least concern                  |
| <i>Miniopterus australis</i>   | little bent-winged bat     | X      |        | X      |        |        | Least concern                  |
| <i>Miniopterus schreibersii oceanesis</i>  | eastern bent-wing bat      | X      |        |        |        |        | Least concern                  |
| <i>Mormopterus Sp</i> (probably <i>M. beccarii</i> )                                     | -                          |        |        |        |        | X      | Least concern                  |
| <i>Mormopterus Sp2</i>   | -                          |        |        | X      |        |        | Least concern                  |
| <i>Mus domesticus</i>  | house mouse                |        |        |        |        | X      | Introduced (not declared)      |
| <i>Myotis macropus</i> (or <i>Nyctophilus sp.</i> ) *                                    | Southern large-footed bat  |        |        | X      |        |        | Least concern                  |
| <i>Nyctophilus sp</i> (or <i>Vespadelus darlingtonii</i> )                               | -                          |        |        |        |        | X      | Least concern                  |
| <i>Pseudocheirus peregrinus</i>  | common ring-tail possum    | X      |        | X      |        | X      | Least concern                  |
| <i>Pteropus poliocephalus</i>  | grey headed flying fox     | X      |        | X      |        |        | Vulnerable ( <i>EPBC Act</i> ) |
| <i>Rattus fuscipes</i>   | bush rat                   |        |        |        |        | X      | Significant (BCC)              |
| <i>Rattus lutreolus</i>  | swamp rat                  |        |        |        |        | X      | Least concern                  |
| <i>Rattus rattus</i>   | black rat                  |        |        | X      |        | X      | Introduced (not declared)      |
| <i>Scotorepens sp</i> (possibly <i>S. greyii</i> ) or <i>Chalinolobus nigrogriseus</i> ) | -                          | X      |        |        |        |        | Least concern                  |
| <i>Sus scrofa</i>  | feral pig                  |        |        |        |        |        | Introduced (declared class 2)  |
| <i>Vespadelus darlingtoni</i>  | large forest bat           |        |        | X      |        |        | Least concern                  |
| <i>Vulpes vulpes</i>   | red fox                    |        |        | X      |        |        | Introduced (declared class 2)  |
| <i>Trichosurus vulpecular</i>  | common brush-tailed possum | X      |        |        |        | X      | Least concern                  |

# DRAFT

| Scientific name                 | Common Name             | Site A | Site B | Site C | Site D | Site E       | Status                        |
|---------------------------------|-------------------------|--------|--------|--------|--------|--------------|-------------------------------|
| <b>Reptiles</b>                 |                         |        |        |        |        |              |                               |
| <i>Lampropholis delicata</i>    | garden skink            |        |        |        |        |              | Least concern                 |
| <i>Morelia spilota</i>          | carpet python           |        |        | X      |        |              | Least concern                 |
| <i>Physignathus lesueurii</i>   | water dragon            |        |        |        |        | X            | Least concern                 |
| <i>Tiliqua scincoides</i>       | blue tongue skink       | X      |        |        |        |              | Least concern                 |
| -                               | turtle sp               |        |        |        |        | X            | -                             |
| <b>Amphibians</b>               |                         |        |        |        |        |              |                               |
| <i>Litoria fallax</i>           | eastern sedgefrog       | X      |        |        |        | X            | Least concern                 |
| <i>Limnodynastes peronii</i>    | striped marshfrog       | X      | X      | X      |        |              | Least concern                 |
| <i>Adelotus brevis</i>          | tusked frog             | X      | X      |        |        |              | Vulnerable (NC Act)           |
| <i>Bufo marinus</i>             | cane toad               |        |        | X      |        | X            | Introduced (not declared)     |
| <b>Fish</b>                     |                         |        |        |        |        |              |                               |
| <i>Ambassis marianus</i>        | estuary perchlet        |        |        |        | X      |              | -                             |
| <i>Gambusia holbrooki.</i>      | mosquitofish            |        |        |        |        | X            | Introduced (declared noxious) |
| <i>Macrobrachium sp.</i>        | river prawn             |        |        |        | X      |              | -                             |
| <i>Mugil cephalus</i>           | sea mullet              |        |        |        | X      |              | -                             |
| <i>Mugilogobius platystomus</i> | eyed-tail mangrove goby |        |        |        | X      |              | -                             |
| <b>Birds</b>                    |                         |        |        |        |        |              |                               |
| <i>Accipiter fasciatus</i>      | brown goshawk           | X      |        | X      |        | X            | Significant (BCC)/ Marine     |
| <i>Alectura lathamii</i>        | Australian bush turkey  | X      |        | X      |        |              | Common                        |
| <i>Alisterus scapularis</i>     | Australian king parrot  | X      |        | X      |        | X            | Least concern                 |
| <i>Anas superciliosa</i>        | Pacific black duck      |        |        |        |        | X            | Least concern                 |
| <i>Ardea ibis</i>               | cattle egret            |        |        |        |        | X (fly over) | Migratory/ Marine             |
| <i>Ardea alba</i>               | great egret             |        |        |        |        | X            | Migratory/ Marine             |
| <i>Burhinus grallarius</i>      | bush stone-curlew       |        |        | x      |        |              | Least concern                 |
| <i>Butorides striata</i>        | striated heron          |        |        | X      |        |              | Least concern                 |
| <i>Caatua sanguinea</i>         | little corella          | X      |        | X      |        | X            | Least concern                 |

# DRAFT

| Scientific name                 | Common Name                | Site A | Site B | Site C | Site D | Site E | Status                |
|---------------------------------|----------------------------|--------|--------|--------|--------|--------|-----------------------|
| <i>Cacatua galerita</i>         | sulphur-crested cockatoo   | X      |        | X      |        | X      | Least concern         |
| <i>Centropus phasianinus</i>    | pheasant coucal            | X      |        | X      |        | X      | Least concern         |
| <i>Chenonetta jubata</i>        | Australian wood duck       | X      |        | X      |        | X      | Least concern         |
| <i>Cisticola exilis</i>         | golden-headed cisticola    |        |        |        |        | X      | Least concern         |
| <i>Coracina novaehollandiae</i> | black-faced cuckoo-shrike  |        | X      | X      |        |        | Least concern         |
| <i>Corvus oru</i>               | torresian crow             | X      | X      | X      |        | X      | Least concern         |
| <i>Cracticus nigrogularis</i>   | piebald butcherbird        | X      | X      | X      |        | X      | Least concern         |
| <i>Cracticus tibicen</i>        | Australian magpie          | X      | X      | X      |        | X      | Least concern         |
| <i>Cracticus torquatus</i>      | grey butcherbird           | X      | X      | X      |        |        | Least concern         |
| <i>Daeceo novaeguineae</i>      | laughing kookaburra        | X      | X      | X      |        | X      | Least concern         |
| <i>Dicaeum hirundinaceum</i>    | mistletoebird              | X      |        | X      |        | X      | Least concern         |
| <i>Entomyzon cyanotis</i>       | blue-faced honey eater     |        |        | X      |        | X      | Least concern         |
| <i>Eolophus roseicapillus</i>   | galah                      |        | X      | X      |        | X      | Least concern         |
| <i>Eurystomus orientalis</i>    | dollarbird                 |        |        |        |        | X      | Marine, Least concern |
| <i>Gallinula tenebrosa</i>      | dusky moorhen              |        |        |        |        | X      | Marine, Least concern |
| <i>Geopelia humeralis</i>       | bar-shoulder dove          |        |        | X      |        | X      | Least concern         |
| <i>Glossopsitta pusilla</i>     | little lorikeet            | X      |        | X      |        | X      | Least concern         |
| <i>Grallina cyanoleuca</i>      | magpie-lark                |        |        | X      |        | X      | Marine, Least concern |
| <i>Hirundo neoxena</i>          | welcome swallow            |        |        | X      |        | X      | Marine, Least concern |
| <i>Lalage leucomela</i>         | varied triller             |        |        |        |        | X      | Least concern         |
| <i>Lichmera indistincta</i>     | brown honeyeater           |        |        | X      |        | X      | Least concern         |
| <i>Lonchura castaneothorax</i>  | chestnut-breasted mannikin |        |        |        |        | X      | Least concern         |
| <i>Malurus cyaneus</i>          | superb fairy-wren          |        |        | X      |        | X      | Least concern         |
| <i>Malurus lamberti</i>         | variegated fairy-wren      | X      |        | X      |        |        | Least concern         |
| <i>Malurus melanocephalus</i>   | red-backed fairy-wren      |        |        |        |        | X      | Least concern         |
| <i>Manorina melanocephala</i>   | noisy miner                | X      | X      | X      |        | X      | Introduced            |
| <i>Megalurus timoriensis</i>    | tawny grassbird            |        |        | X      |        | X      | Least concern         |
| <i>Meliphaga lewinii</i>        | Lewins honeyeater          | X      |        | X      |        | X      | Least concern         |

# DRAFT

| Scientific name                       | Common Name              | Site A | Site B | Site C | Site D | Site E | Status                               |
|---------------------------------------|--------------------------|--------|--------|--------|--------|--------|--------------------------------------|
| <i>Microcarbo melanoleucos</i>        | little pied cormorant    |        |        |        |        | X      | Least concern                        |
| <i>Myiagra rubecula</i>               | leaden flycatcher        |        |        | X      |        | X      | Least concern                        |
| <i>Myzomela sanguinolenta</i>         | scarlet honeyeater       |        |        | X      |        | X      | Least concern                        |
| <i>Neochmia temporalis</i>            | red-browed finch         |        |        | X      |        | X      | Least concern                        |
| <i>Ocyphaps lophotes</i>              | crested pigeon           | X      | X      | X      |        |        | Least concern                        |
| <i>Oriolus sagittatus</i>             | olive-backed oriole      | X      |        | X      |        | X      | Least concern                        |
| <i>Pachycephala pectoralis</i>        | golden whistler          | X      |        | X      |        |        | Least concern                        |
| <i>Pachycephala rufiventris</i>       | rufous whistler          |        |        | X      |        |        | Least concern                        |
| <i>Pardalotus punctatus</i>           | striated pardalote       |        |        | X      |        | X      | Least concern                        |
| <i>Philemon corniculatus</i>          | noisy friarbird          |        |        | X      |        |        | Least concern                        |
| <i>Platalea regia</i>                 | royal spoonbill          |        |        |        |        | X      | Least concern                        |
| <i>Platycercus adscitus palliceps</i> | pale-headed rosella      | X      | X      | X      |        |        | Least concern                        |
| <i>Porphyrio porphyrio</i>            | purple swamp-hen         |        |        |        |        | X      | Marine, Least concern                |
| <i>Psophodes olivaceus</i>            | eastern Whipbird         | X      |        | X      |        | X      | Least concern                        |
| <i>Rallus pectoralis</i>              | Lewin's rail             |        |        |        |        | X      | Rare (NC Act)                        |
| <i>Rhipidura albiscapa</i>            | grey fantail             |        |        | X      |        | X      | Least concern                        |
| <i>Rhipidura leucophrys</i>           | willie wagtail           |        |        |        |        | X      | Least concern                        |
| <i>Rhipidura rufifrons</i>            | rufous fantail           |        |        | X      |        |        | Migratory, Marine, Significant (BCC) |
| <i>sericornis frontalis</i>           | white-browed scrubwren   | X      |        | X      |        | X      | Least concern                        |
| <i>Sphecotheres vieilloti</i>         | figbird                  |        | X      | X      |        | X      | Least concern                        |
| <i>Strepera graculina</i>             | pied currawong           | X      |        | X      |        | X      | Least concern                        |
| <i>Streptopelia chinensis</i>         | spotted dove             |        |        | X      |        |        | Introduced                           |
| <i>Sturnus tristis</i>                | least concern myna       |        |        |        |        | X      | Introduced                           |
| <i>Taeniopygia bichenovii</i>         | double-barred finch      |        |        | X      |        | X      | Least concern                        |
| <i>Trichoglossus chorolepidotus</i>   | scally breasted lorikeet | X      | X      | X      |        | X      | Least concern                        |
| <i>Trichoglossus haematodus</i>       | rainbow lorikeet         | X      | X      | X      |        | X      | Least concern                        |
| <i>Vanellus miles novaehollandiae</i> | masked lapwing           |        |        | X      |        | X      | Least concern                        |

# DRAFT

| Scientific name                             | Common Name | Site A | Site B | Site C | Site D | Site E | Status                |
|---|-------------|--------|--------|--------|--------|--------|-----------------------|
| <i>Zosterops lateralis</i>                  | silvereye   |        |        |        |        | X      | Marine, Least concern |
| <b>Macroinvertebrates</b>                   |             |        |        |        |        |        |                       |
| <i>Apseudes (Tanaidae)</i>                  | -           |        |        |        | X      |        | -                     |
| <i>Ceratonereis (Nereididae)</i>            | -           |        |        |        | X      |        | -                     |
| <i>Conuber (Natacidae)</i>                  | -           |        |        |        | X      |        | -                     |
| <i>Laternula (Laternulidae)</i>             | -           |        |        |        | X      |        | -                     |
| <i>Nozela (Iravadiidae)</i>                 | -           |        |        |        | X      |        | -                     |
| <i>Unidentified isopod (Sphaeromatidae)</i> | -           |        |        |        | X      |        | -                     |

DRAFT